

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9

SECTION 1: Identif	ification of the substance/mixture and of the company/undertaking	
1.1. Product identifie	er	
Product form	: Mixture	
Trade name	: Argomix D9	
SDS code	: MSDS.000186	
	fied uses of the substance or mixture and uses advised against	
Relevant identified uses		
Uses advised against	: Consumer use. Uses other than those listed above are not supported, contact your suppli	er for more information on other
	uses.	
1.3. Details of the sur	upplier of the safety data sheet	
Sapio Produzione Idroger	eno Ossigeno Srl	
Via S. Pellico, 48		
20900 Monza T +39 039 836068		
www.sapio.it		
	etent person responsible for the SDS : <u>sds@sapio.it</u>	
1.4. Emergency telep	phone number	
Emergency telephone nur	umber : +39 0295705444 (24/7)	
SECTION 2: Hazard	rds identification	
2.1. Classification of	f the substance or mixture	
Classification according	ng to Regulation (EC) No. 1272/2008 [CLP]	
Physical hazards	Gases under pressure : Compressed gas H280	
2.2. Label elements		
Labelling according to F	Regulation (EC) No. 1272/2008 [CLP]	
Hazard pictograms (CLP)	2) : 🔨	
	GHS04	
Signal word (CLP)	: Warning	
Hazard statements (CLP)		
Precautionary statements		
- Storage	: P403 - Store in a well-ventilated place.	
2.3. Other hazards		
<u>2.0. Other Hazards</u>		
	Asphyxiant in high concentrations.	
	Not classified as PBT or vPvB.	
<u>2.0. 0110. hazaraa</u>		



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Argon	CAS-No.: 7440-37-1 EC-No.: 231-147-0 EC Index-No.: REACH-no: *1	91	Press. Gas (Comp.), H280
Carbon dioxide	CAS-No.: 124-38-9 EC-No.: 204-696-9 EC Index-No.: REACH-no: *1	9	Press. Gas (Liq.), H280

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y.

SECTION 4: First aid measure	s
4.1. Description of first aid measu	<u>ires</u>
Inhalation	: Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.
Skin contact	: Adverse effects not expected from this product.
Eye contact	: Adverse effects not expected from this product.
Ingestion	: Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

	None.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray or fog.
Unsuitable extinguishing media	Product does not burn, use fire control measures appropriate for the surrounding fire.Do not use water jet to extinguish.
5.2. Special hazards arising from the substa	nce or mixture
Specific hazards Hazardous combustion products	Exposure to fire may cause containers to rupture/explode.None.
5.3. Advice for firefighters	
Specific methods	 Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible.
Special protective equipment for fire fighters	 Move containers away from the fire area if this can be done without risk. In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
Sanio Produzione Idrogeno Ossigeno Srl	EN (English) MSDS 000186 2/



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MSDS.000186

Argomix D9

SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equi	ipment and emergency procedures
For non-emergency personnel	 Act in accordance with local emergency plan. Try to stop release. Evacuate area. Ensure adequate air ventilation. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stay upwind.
For emergency responders	 See section 8 of the SDS for more information on personal protective equipment Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Oxygen detectors should be used when asphyxiating gases may be released. See section 5.3 of the SDS for more information.
6.2. Environmental precautions	
	Try to stop release.
6.3. Methods and material for containmen	t and cleaning up
	Ventilate area.
6.4. Reference to other sections	
	See also sections 8 and 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Safe use of the product	 The product must be handled in accordance with good industrial hygiene and safety procedures. Only experienced and properly instructed persons should handle gases under pressure. Consider pressure relief device(s) in gas installations. Ensure the complete gas system was (or is regularily) checked for leaks before use. Do not smoke while handling product. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Contact your gas supplier if in doubt. Avoid suck back of water, acid and alkalis. Do not breathe gas. Avoid release of product into work area.
Safe handling of the gas receptacle	 Do not allow backfeed into the container. Protect containers from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. If user experiences any difficulty operating valve discontinue use and contact supplier. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to transfer gases from one cylinder/container to another. Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content of the container. Suck back of water into the container must be prevented. Open valve slowly to avoid pressure shock.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9

7.2. Conditions for safe storage, including any incompatibilities

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon dioxide (124-38-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name		Carbon dioxide
IOEL TWA		9000 mg/m ³
IOEL TWA [ppm]		5000 ppm
Regulatory reference		COMMISSION DIRECTIVE 2006/15/EC
DNEL (Derived-No Effect Level)	: None available	
PNEC (Predicted No-Effect Concentration)	: None available	
8.2. Exposure controls		
8.2.1. Appropriate engineering controls		
	Oxygen detecto Systems under Ensure exposu	ate general and local exhaust ventilation. ors should be used when asphyxiating gases may be released. pressure should be regularily checked for leakages. re is below occupational exposure limits (where available). se of a work permit system e.g. for maintenance activities.
8.2.2. Individual protection measures, e.g. personal protection	ctive equipment	
	the use of the p recommendation	ent should be conducted and documented in each work area to assess the risks related to oroduct and to select the PPE that matches the relevant risk. The following ons should be considered: to the recommended EN/ISO standards should be selected.
Eye/face protection	: Wear safety gla	isses with side shields. 66 - Personal eye-protection - specifications.
Skin protection		
Hand protection		loves when handling gas containers. 38 - Protective gloves against mechanical risk, performance level 1 or higher.
Other	: Wear safety she	oes while handling containers.
		O 20345 - Personal protective equipment - Safety footwear.
Respiratory protection	the Respiratory hazards of the Self contained I	I by a risk assessment, Respiratory Protective Equipment must be used. The selection of Protective Device (RPD) must be based on known or anticipated exposure levels, the product and the safe working limits of the selected RPD. breathing apparatus is recommended, where unknown exposure may be expected, e.g. ance activities on installation systems.
Thermal hazards		37 - Self-contained open-circuit compressed air breathing apparatus with full face mask. n to the above sections.
8.2.3. Environmental exposure controls	Nono nocoscor	

None necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



-

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

-

Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9		
- Physical state at 20°C / 101.3kPa	: Gas.	
- Colour	: Colourless.	
Odour	: Odourless.	
Melting point / Freezing point	Odour threshold is subjective and inadequate to warn of overexposure. : Not applicable for gases and gas mixtures.	
Boiling point	: Not applicable for gas mixtures.	
	It is technically not possible to determine the boiling point or range of this mixture. Component with	
	lowest boiling point: Argon -186 °C	
Flammability	: Non flammable.	
Lower explosive limit (LEL)	: Not available.	
Upper explosive limit (UEL)	: Not available.	
Flash point	: Not applicable for gases and gas mixtures.	
Auto-ignition temperature Decomposition temperature	: Non flammable. : Not applicable.	
pH	: Not applicable for gases and gas mixtures.	
Viscosity, kinematic	: Not applicable for gases and gas mixtures.	
Water solubility [20°C]	: Mixture is partially soluble in water	
Partition coefficient n-octanol/water (Log Kow)	: Not available.	
Vapour pressure [20°C]	: Not applicable.	
Vapour pressure [50°C]	: Not applicable.	
Density and/or relative density	: Not applicable.	
Relative vapour density (air=1) Particle characteristics	 Heavier than air. Not applicable for gases and gas mixtures. 	
9.2. Other information		
9.2.1. Information with regard to physical hazard classes	i	
Explosion limits	: Non flammable.	
Oxidising properties	: No oxidising properties.	
9.2.2. Other safety characteristics		
Other data	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
	Data for mixture are not available.	
10.2. Chemical stability		
10.2. Chemical Stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous reactions		
Popotivity	None.	
Reactivity	: None.	
10.4. Conditions to avoid		
	Avoid moisture in installation systems.	
10.5. Incompatible materials		
	For additional information on compatibility refer to ISO 11114.	
40.0 Users data was 111 state		
10.6. Hazardous decomposition products		
	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	
SECTION 11: Toxicological information		

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity	: Toxicological effects not expected from exceeded.	n this product if occupational exposure limit value	s are not
Skin corrosion/irritation	: No known effects from this product.		
Serious eye damage/irritation	: No known effects from this product.		
Respiratory or skin sensitisation	: No known effects from this product.		
Sapio Produzione Idrogeno Ossigeno Srl	EN (English)	MSDS.000186	5/8



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9		
Germ cell mutagenicity	: No known effects from this product.	
Carcinogenicity	: No known effects from this product.	
Toxic for reproduction : Fertility	: No known effects from this product.	
Toxic for reproduction : unborn child	: No known effects from this product.	
STOT-single exposure	: No known effects from this product.	
STOT-repeated exposure	: No known effects from this product.	
Aspiration hazard	: Not applicable for gases and gas mixtures.	
11.2. Information on other hazards		
Other information	 For more information, see 'EIGA Safety Info 24: Carbon Dioxide, Physiological Hazards' at www.eiga.eu. Unlike simple asphyxiants, carbon dioxide has the ability to cause death even when normal oxygen levels (20-21%) are maintained. 5% CO2 has been found to act synergistically to increase the toxicity of certain other gases (CO, NO2). CO2 has been shown to enhance the production of carboxy- or met- hemoglobin by these gases possibly due to carbon dioxide's stimulatory effects on the respiratory and circulatory systems. The substance/mixture has no endocrine disrupting properties. 	
SECTION 12: Ecological information		
<u>12.1. Toxicity</u>		
Assessment	: No ecological damage caused by this product.	
EC50 48h - Daphnia magna [mg/l] EC50 72h - Algae [mg/l] LC50 96 h - Fish [mg/l]	 No data available. No data available. No data available. 	
12.2. Persistence and degradability		
Assessment	: No ecological damage caused by this product.	
12.3. Bioaccumulative potential		
Assessment	: No ecological damage caused by this product.	
<u>12.4. Mobility in soil</u>		
Assessment	: No ecological damage caused by this product.	
12.5. Results of PBT and vPvB assessment		
Assessment	: Not classified as PBT or vPvB.	
12.6. Endocrine disrupting properties		
	The substance/mixture has no endocrine disrupting properties.	
12.7. Other adverse effects		
Other adverse effects Effect on the ozone layer	: No known effects from this product. : No effect on the ozone layer.	
Effect on global warming	: Contains greenhouse gas(es).	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
List of hazardous waste codes (from Commission Decision 2000/532/EC as amended)	 May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier. 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04. 	
13.2. Additional information		
	External treatment and disposal of waste should comply with applicable local and/or national regulations.	



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9

	Algolilik D3
SECTION 14: Transport information	
14.1. UN number or ID number	
In accordance with ADR / RID / IMDG / IATA / ADN	
UN-No.	: 1956
14.2. UN proper shipping name	
	: COMPRESSED GAS, N.O.S. (Argon, Carbon dioxide)
Transport by road/rail (ADR/RID)	: Compressed gas, n.o.s. (Argon, Carbon dioxide)
Transport by air (ICAO-TI / IATA-DGR)	: COMPRESSED GAS, N.O.S. (Argon, Carbon dioxide)
Transport by sea (IMDG)	. CONFRESSED GAS, N.C.S. (Argon, Carbon dioxide)
14.3. Transport hazard class(es)	
Labelling	
	2
Transport by road/rail (ADR/RID)	2.2 : Non-flammable, non-toxic gases.
Class	: 2
Classification code	: 1A
Hazard identification number	: 20
Tunnel Restriction	: E - Passage forbidden through tunnels of category E
Transport by air (ICAO-TI / IATA-DGR) Class / Div. (Sub. risk(s))	: 2.2
Transport by sea (IMDG)	
Class / Div. (Sub. risk(s))	: 2.2
Emergency Schedule (EmS) - Fire	: F-C
Emergency Schedule (EmS) - Spillage	: S-V
14.4. Packing group	
Transport by road/rail (ADR/RID)	: Not applicable
Transport by air (ICAO-TI / IATA-DGR)	: Not applicable
Transport by sea (IMDG)	: Not applicable
14.5. Environmental hazards	
Transport by road/rail (ADR/RID)	: None.
Transport by air (ICAO-TI / IATA-DGR)	: None.
Transport by sea (IMDG)	: None.
14.6. Special precautions for user	
Packing Instruction(s)	
Transport by road/rail (ADR/RID)	: P200
Transport by air (ICAO-TI / IATA-DGR)	. 200
Passenger and Cargo Aircraft Cargo Aircraft only	: 200. : 200.
Transport by sea (IMDG)	: P200
Special transport precautions	: Avoid transport on vehicles where the load space is not separated from the driver's compartment.
	Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of
	an accident or an emergency.
	Before transporting product containers: - Ensure there is adequate ventilation.
	- Ensure that containers are firmly secured.
	- Ensure valve is closed and not leaking.
	- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
	- Ensure valve protection device (where provided) is correctly fitted.

Not applicable.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000186

Argomix D9

15.1. Safety, health and environmental regulation	ns/legislation specific for the substance or mixture
EU-Regulations	
Restrictions on use Other information, restriction and prohibition regulations	 Contains no substance(s) listed on the REACH Candidate List. Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).
Seveso Directive : 2012/18/EU (Seveso III)	: Not covered.
National regulations	
Regulatory reference	: Ensure all national/local regulations are observed.
15.2. Chemical safety assessment	
	A CSA does not need to be carried out for this product.
SECTION 16: Other information	
Indication of changes	: Not applicable.
Abbreviations and acronyms	 ATE - Acute Toxicity Estimate CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 EINECS - European Inventory of Existing Commercial Chemical Substances CAS# - Chemical Abstract Service number PPE - Personal Protection Equipment LC50 - Lethal Concentration to 50 % of a test population RMM - Risk Management Measures PBT - Persistent, Bioaccumulative and Toxic vPvB - Very Persistent and Very Bioaccumulative STOT - SE : Specific Target Organ Toxicity - Single Exposure CSA - Chemical Safety Assessment EN - European Standard UN - United Nations ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road IATA - International Air Transport Association IMDG code - International Maritime Dangerous Goods RID - Regulations concerning the International Carriage of Dangerous Goods by Rail WGK - Water Hazard Class STOT - RE : Specific Target Organ Toxicity - Repeated Exposure UFI : Unique Formula Identifier
Training advice	 The hazard of asphyxiation is often overlooked and must be stressed during operator training. For more guidance, refer to EIGA SL 01 "Dangers of Asphyxiation", downloadable at http://www.eiga.eu Cleasification using data from databases meintained by the European Industrial Cases Association
Further information	 Classification using data from databases maintained by the European Industrial Gases Association (EIGA). Data is maintained in EIGA doc 169 : 'Classification and Labelling Guide', downloadable at : http://www.eiga.eu. Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/200 (CLP).

H280	Contains gas under pressure; may explode if heated.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Press. Gas (Liq.)	Gases under pressure: Liquefied gas
DISCLAIMER OF LIABILITY	 Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out. Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document