

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

Argomix N2

Product form	: Mixture
Trade name	: Argomix N2
SDS code	: MSDS.000149
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
Relevant identified uses	: Industrial and professional uses. Perform risk assessment prior to use.
Uses advised against	 Consumer use. Uses other than those listed above are not supported, contact your supplier for more information on othe uses.
1.3. Details of the supplier of the s	afety data sheet
Sapio Produzione Idrogeno Ossigeno Srl	
Via S. Pellico, 48	
20900 Monza	
T +39 039 836068 www.sapio.it	
E-mail address of competent person resp	posible for the SDS / sds@sapio it
1.4. Emergency telephone number	
Emergency telephone number	- : +39 0295705444 (24/7)
SECTION 2: Hazards identifica 2.1. Classification of the substanc Classification according to Regulation	e or mixture
chaccinication according to nogulation	
Physical bazards Gases un	
Physical hazards Gases un	der pressure : Compressed gas H280
Physical hazards Gases un 2.2. Label elements	
	der pressure : Compressed gas H280
2.2. Label elements	der pressure : Compressed gas H280
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	der pressure : Compressed gas H280 No. 1272/2008 [CLP] : GHS04
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	der pressure : Compressed gas H280 No. 1272/2008 [CLP] : GHS04 : Warning
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	der pressure : Compressed gas H280 No. 1272/2008 [CLP] : GHS04
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	der pressure : Compressed gas H280 No. 1272/2008 [CLP] : GHS04 : Warning
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) - Storage	der pressure : Compressed gas H280 No. 1272/2008 [CLP]
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) - Storage	H280 No. 1272/2008 [CLP]
2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	der pressure : Compressed gas H280 No. 1272/2008 [CLP] : GHS04 : Warning : H280 - Contains gas under pressure; may explode if heated.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

Argomix N2

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Argon	CAS-No.: 7440-37-1 EC-No.: 231-147-0 EC Index-No.: REACH-no: *1	98	Press. Gas (Comp.), H280
Nitrogen	CAS-No.: 7727-37-9 EC-No.: 231-783-9 EC Index-No.: REACH-no: *1	2	Press. Gas (Comp.), H280

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

*1: Listed in Annex IV / V REACH, exempted from registration.

*3: Registration not required: Substance manufactured or imported < 1t/y.

SECTION 4: First aid measures	;
4.1. Description of first aid measure	es
Inhalation	: Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Perform cardiopulmonary resuscitation if breathing stopped.
Skin contact	: Adverse effects not expected from this product.
Eye contact	: Adverse effects not expected from this product.
Ingestion	: Ingestion is not considered a potential route of exposure.
4.2. Most important symptoms and	effects, both acute and delayed
	In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness.

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness Victim may not be aware of asphyxiation. See section 11.

4.3. Indication of any immediate medical attention and special treatment needed

	None.
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray or fog. Product does not burn, use fire control measures appropriate for the surrounding fire.
Unsuitable extinguishing media	: Do not use water jet to extinguish.
5.2. Special hazards arising from the substance	or mixture
Specific hazards Hazardous combustion products	Exposure to fire may cause containers to rupture/explode.None.
5.3. Advice for firefighters	
Specific methods	 Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering sewers and drainage systems. If possible, stop flow of product. Use water spray or fog to knock down fire fumes if possible. Move containers away from the fire area if this can be done without risk.
Special protective equipment for fire fighters	 In confined space use self-contained breathing apparatus. Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire fighters. Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves for firefighters. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

Argomix N2

C.4. Developed analysis and the st	
6.1. Personal precautions, protective equ	
For non-emergency personnel	: Act in accordance with local emergency plan. Try to stop release.
	Evacuate area.
	Ensure adequate air ventilation.
	Prevent from entering sewers, basements and workpits, or any place where its accumulation can be
	dangerous.
	Stay upwind.
For omorgonou responders	See section 8 of the SDS for more information on personal protective equipment : Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
For emergency responders	Oxygen detectors should be used when asphyxiating gases may be released.
	See section 5.3 of the SDS for more information.
6.2. Environmental precautions	
<u> </u>	Try to stop release.
6.3. Methods and material for containmer	
0.5. Methous and material for containmen	Ventilate area.
	ventuate area.
6.4. Reference to other sections	
	See also sections 8 and 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Safe use of the product	: The product must be handled in accordance with good industrial hygiene and safety procedures.
	Only experienced and properly instructed persons should handle gases under pressure.
	Consider pressure relief device(s) in gas installations.
	Ensure the complete gas system was (or is regularily) checked for leaks before use.
	Do not smoke while handling product. Use only properly specified equipment which is suitable for this product, its supply pressure and
	temperature. Contact your gas supplier if in doubt.
	Avoid suck back of water, acid and alkalis.
	Do not breathe gas.
	Avoid release of product into work area.
Safe handling of the gas receptacle	: Do not allow backfeed into the container.
	Protect containers from physical damage; do not drag, roll, slide or drop. When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to
	transport cylinders.
	Leave valve protection caps in place until the container has been secured against either a wall or bencl
	or placed in a container stand and is ready for use.
	If user experiences any difficulty operating valve discontinue use and contact supplier.
	Never attempt to repair or modify container valves or safety relief devices.
	Damaged valves should be reported immediately to the supplier. Keep container valve outlets clean and free from contaminants particularly oil and water.
	Replace valve outlet caps or plugs and container caps where supplied as soon as container is
	disconnected from equipment.
	Close container valve after each use and when empty, even if still connected to equipment.
	Never attempt to transfer gases from one cylinder/container to another.
	Never use direct flame or electrical heating devices to raise the pressure of a container.
	Do not remove or deface labels provided by the supplier for the identification of the content of the
	container. Suck back of water into the container must be prevented.
	out back of water into the container must be prevented.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

Argomix N2

7.2. Conditions for safe storage, including any incompatibilities

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible materials.

7.3. Specific end use(s)

None.

8.1. Control parameters	
OEL (Occupational Exposure Limits)	: None available.
DNEL (Derived-No Effect Level)	: None available.
PNEC (Predicted No-Effect Concentration)	: None available.
8.2. Exposure controls	
8.2.1. Appropriate engineering controls	
	Provide adequate general and local exhaust ventilation. Oxygen detectors should be used when asphyxiating gases may be released. Systems under pressure should be regularily checked for leakages. Consider the use of a work permit system e.g. for maintenance activities.
8.2.2. Individual protection measures, e.g. perso	onal protective equipment
	A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered: PPE compliant to the recommended EN/ISO standards should be selected.
Eye/face protection	: Wear safety glasses with side shields. Standard EN 166 - Personal eye-protection - specifications.
Skin protection	
Hand protection	: Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk, performance level 1 or higher.
Other	: Wear safety shoes while handling containers. Standard EN ISO 20345 - Personal protective equipment - Safety footwear.
Respiratory protection	 When indicated by a risk assessment, Respiratory Protective Equipment must be used. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected RPD. Self contained breathing apparatus is recommended, where unknown exposure may be expected, e.g. during maintenance activities on installation systems. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask.
Thermal hazards	: None in addition to the above sections.
8.2.3. Environmental exposure controls	
	None necessary.

9.1. Information on basic physical and chemical properties

Appearance			
- Physical state at 20°C / 101.3kPa	: Gas.		
- Colour	: Colourless.		
Odour	: Odourless.		
	Odour threshold is subjective	and inadequate to warn of overexposure.	
Melting point / Freezing point	: Not applicable for gases and	gas mixtures.	
Boiling point	: Not applicable for gas mixture	S.	
	It is technically not possible to	determine the boiling point or range of this mixture. Component with	
	lowest boiling point: Nitrogen	-196 °C	
Flammability	: Non flammable.		
Sapio Produzione Idrogeno Ossigeno Srl	EN (English)	MSDS.000149	4/8



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

	Argomix N2			
Lower explosive limit (LEL)	: Not available.			
Upper explosive limit (UEL)	: Not available.			
Flash point	: Not applicable for gases and gas mixtures.			
Auto-ignition temperature	: Non flammable.			
Decomposition temperature	: Not applicable.			
рН	Not applicable for gases and gas mixtures.			
Viscosity, kinematic	Not applicable for gases and gas mixtures.			
Water solubility [20°C]	: Mixture is partially soluble in water			
Partition coefficient n-octanol/water (Log Kow)	: Not available.			
Vapour pressure [20°C]	: Not applicable.			
Vapour pressure [50°C]	: Not applicable.			
Density and/or relative density	: Not applicable.			
Relative vapour density (air=1)	: Heavier than air.			
Particle characteristics	: Not applicable for gases and gas mixtures.			
9.2. Other information				
9.2.1. Information with regard to physical hazard classes	5			
Explosion limits	: Non flammable.			
Oxidising properties	: No oxidising properties.			
9.2.2. Other safety characteristics				
Other data	: Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.			
SECTION 10: Stability and reactivity				
10.1. Reactivity				
	Data for mixture are not available.			
40.0. Observiced stability				
10.2. Chemical stability				
	Stable under normal conditions.			
10.3. Possibility of hazardous reactions				
	None.			
Reactivity	: None.			
10.4. Conditions to avoid				
	Avoid moisture in installation systems.			
10 E. Incompatible metericle	Avoid moisture in installation systems.			
10.5. Incompatible materials	Avoid moisture in installation systems.			
10.5. Incompatible materials	Avoid moisture in installation systems. For additional information on compatibility refer to ISO 11114.			
10.5. Incompatible materials 10.6. Hazardous decomposition products				

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity	: No toxicological effects from this product.	
Skin corrosion/irritation	: No known effects from this product.	
Serious eye damage/irritation	: No known effects from this product.	
Respiratory or skin sensitisation	: No known effects from this product.	
Germ cell mutagenicity	: No known effects from this product.	
Carcinogenicity	: No known effects from this product.	
Toxic for reproduction : Fertility Toxic for reproduction : unborn child	No known effects from this product.No known effects from this product.	
STOT-single exposure	: No known effects from this product.	

Reppirare il	

Safety Data Sheet according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

Argomix N2				
STOT-repeated exposure	: No known effects from this product.			
Aspiration hazard	: Not applicable for gases and gas mixtures.			
11.2. Information on other hazards				
Other information	: The substance/mixture has no endocrine disrupting properties.			
SECTION 12: Ecological information				
12.1. Toxicity				
Assessment	: No ecological damage caused by this product.			
EC50 48h - Daphnia magna [mg/l]	: No data available.			
EC50 72h - Algae [mg/l] LC50 96 h - Fish [mg/l]	: No data available. : No data available.			
12.2. Persistence and degradability				
Assessment	: No ecological damage caused by this product.			
12.3. Bioaccumulative potential				
Assessment	: No ecological damage caused by this product.			
<u>12.4. Mobility in soil</u>				
Assessment	: No ecological damage caused by this product.			
12.5. Results of PBT and vPvB assessment				
Assessment	: Not classified as PBT or vPvB.			
12.6. Endocrine disrupting properties				
	The substance/mixture has no endocrine disrupting properties.			
12.7. Other adverse effects				
Other adverse effects	: No known effects from this product.			
Effect on the ozone layer	: No effect on the ozone layer.			
Effect on global warming	: No known effects from this product.			
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
List of hazardous waste codes (from Commission Decision	 May be vented to atmosphere in a well ventilated place. Do not discharge into any place where its accumulation could be dangerous. Return unused product in original container to supplier. 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04. 			
2000/532/EC as amended)				
13.2. Additional information				
	External treatment and disposal of waste should comply with applicable local and/or national regulations.			

SECTION 14: Transport information			
14.1. UN number or ID number			
In accordance with ADR / RID / IMDG / IATA / ADN UN-No.	: 1956		
	. 1000		



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Argomix N2

Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Transport by sea (IMDG)

14.3. Transport hazard class(es)

Labelling

Transport by road/rail (ADR/RID)

Class Classification code Hazard identification number Tunnel Restriction

Transport by air (ICAO-TI / IATA-DGR) Class / Div. (Sub. risk(s))

Transport by sea (IMDG) Class / Div. (Sub. risk(s)) Emergency Schedule (EmS) - Fire Emergency Schedule (EmS) - Spillage

14.4. Packing group

Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Transport by sea (IMDG)

14.5. Environmental hazards

Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Transport by sea (IMDG)

14.6. Special precautions for user

Packing Instruction(s) Transport by road/rail (ADR/RID) Transport by air (ICAO-TI / IATA-DGR) Passenger and Cargo Aircraft

Cargo Aircraft only Transport by sea (IMDG)

Special transport precautions

- : COMPRESSED GAS, N.O.S. (Argon, Nitrogen)
- : Compressed gas, n.o.s. (Argon, Nitrogen)
- : COMPRESSED GAS, N.O.S. (Argon, Nitrogen)



2.2 : Non-flammable, non-toxic gases.

- : 2 : 1A
- : 20
- : E Passage forbidden through tunnels of category E
- : 2.2
- : 2.2
- : F-C : S-V
- : Not applicable
- : Not applicable
- : Not applicable
- : None.
- : None.
- : None.
- : P200
- : 200. : 200.
- : P200
- Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency.
- Before transporting product containers:
- Ensure there is adequate ventilation.
- Ensure that containers are firmly secured.
- Ensure valve is closed and not leaking.
- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
- Ensure valve protection device (where provided) is correctly fitted.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Restrictions on use : Contains no substance(s) listed on the REACH Candidate List. Other information, restriction and prohibition regulations : Contains no substance(s) listed on the PIC list (Regulation EU

 Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Version: 1.0 Revision date: 13/12/2022 Issue date: 13/12/2022

MSDS.000149

Argomix N2

Seveso Directive : 2012/18/EU (Seveso III)	: Not covered.
National regulations	
Regulatory reference	: Ensure all national/local regulations are observed.
15.2. Chemical safety assessment	
	A CSA does not need to be carried out for this product.

SECTION 16: Other information		
Indication of changes	: Not applicable.	
Abbreviations and acronyms	 ATE - Acute Toxicity Estimate CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 EINECS - European Inventory of Existing Commercial Chemical Substances CAS# - Chemical Abstract Service number PPE - Personal Protection Equipment LC50 - Lethal Concentration to 50 % of a test population RMM - Risk Management Measures PBT - Persistent, Bioaccumulative and Toxic vPvB - Very Persistent and Very Bioaccumulative STOT - SE : Specific Target Organ Toxicity - Single Exposure CSA - Chemical Safety Assessment EN - European Agreement concerning the International Carriage of Dangerous Goods by Road IATA - International Maritime Dangerous Goods RID - Regulations concerning the International Carriage of Dangerous Goods by Roal WGK - Water Hazard Class STOT - RE : Specific Target Organ Toxicity - Repeated Exposure UWGK - Water Hazard Class 	
Training advice	 The hazard of asphyxiation is often overlooked and must be stressed during operator training. For more guidance, refer to EIGA SL 01 "Dangers of Asphyxiation", downloadable at http://www.eiga.eu 	
Further information	 Classification using data from databases maintained by the European Industrial Gases Association (EIGA). Data is maintained in EIGA doc 169 : 'Classification and Labelling Guide', downloadable at : http://www.eiga.eu. Classification in accordance with the procedures and calculation methods of Regulation (EC) 1272/2008 (CLP). 	

Full text of H- and EUH-statements	
H280	Contains gas under pressure; may explode if heated.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
DISCLAIMER OF LIABILITY	: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.
	Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage

resulting from its use can be accepted.

End of document